



arslan alüminyum a.ş.

SOLAR PRODUCT CATALOGUE

www.arslanaluminyum.com





arslan alüminyum



www.arslanaluminyum.com





arslan alüminyum a.ş.

HISTORY OF ARSLAN ALUMINUM

Arslan Aluminum was founded by Mehmet ARSLAN in 1970 as a medium-sized business under the name "Arslan Anodized" in a 250 square meter closed area.

Arslan Aluminum is one of the leading companies in the sector with its continuous development and new investments, with its product quality, technology and works that it carries out without harming the environment. Arslan Aluminum has a capacity of 5200 tons / month in the production of extrusion profiles, and has achieved international standards with surface treatment, molding, anodizing, dyeing, irrigation and mechanical treatment. Our recycling facility, which will reach a capacity of 240,000 tons / year when completed, has now reached 180,000 tons / year of aluminum billet and ingot production.



arслан alüminyum



www.arslanaluminyum.com





arslan alüminyum a.ş.

ARSLAN ALUMINUM INC. ENVIRONMENTAL POLICY

In all activities carried out under the roof of Arslan Aluminum, it is aimed to protect the environment, to consume natural resources carefully and to achieve sustainable development.

It has adopted a policy of continuous improvement and renewal in order to meet the environmental expectations of our country and the world.

A process-oriented focus has been provided for the implementation and control of the works throughout the company.

Quality policy

It is aimed to maintain customer satisfaction by considering each department as a separate factory under the roof of Arslan Aluminum.

It has adopted a policy of continuous improvement and renewal in order to meet customer expectations.

A process-oriented approach has been achieved throughout the company.

For this purpose, **ARSLAN ALUMINUM** is ISO 9001:2015 for a globally appreciated level of quality.


It has adopted the quality system standard as a guide.

K.CENK ARSLAN

Genel Müdür



arslan alüminyum



www.arslanaluminyum.com





arslan alüminyum



www.arslanaluminyum.com





arслан alüminyum

Standart Sistem


SOLAR 1



0,70 kg/m

H: 28 mm


SOLAR 2



1,13 kg/m

H: 37,8 mm

SOLAR 3



0,65 kg/m

H: 13,5 mm

www.arslanaluminyum.com





arслан alüminyum

SOLAR 4



1,13 kg/m

H: 30,1 mm

SOLAR 5



0,99 kg/m

H: 34,8 mm

SOLAR 6



0,75 kg/m

H: 55 mm

www.arslanaluminyum.com





arслан alüminyum

SOLAR 7



1,00 kg/m

H: 60 mm

SOLAR 8



0,97 kg/m

H: 59,2 mm

www.arslanaluminyum.com





arслан alüminyum

SOLAR 9



2,55 kg/m

H: 100 mm

SOLAR 10



1,46 kg/m

H: 100 mm

www.arslanaluminyum.com





arслан alüminyum

Beam System

SOLAR 11



0,76 kg/m

H: 50 mm

SOLAR 12



0,90 kg/m

H: 54,9 mm

SOLAR 13



0,67 kg/m

H: 60 mm

www.arslanaluminyum.com





arслан alüminyum

SOLAR 14



1,44 kg/m

H: 80 mm

SOLAR 15



0,74 kg/m

H: 50 mm

SOLAR 16



0,67 kg/m

H: 30 mm


www.arslanaluminyum.com





arслан alüminyum

SOLAR 17



0,74 kg/m
H: 30 mm

SOLAR 18



1,03 kg/m
H: 40 mm

SOLAR 19



1,09 kg/m
H:40 mm

www.arslanaluminyum.com





arslan alüminyum


SOLAR 20



0,76 kg/m

H: 50 mm


SOLAR 21



0,74 kg/m

H: 51 mm

SOLAR 22



1,51 kg/m

H: 80 mm


www.arslanaluminyum.com





arслан alüminyum

SOLAR 23



1,08 kg/m

H: 80 mm

SOLAR 24



0,98 kg/m

H: 80 mm

SOLAR 25



0,78 kg/m

H: 49,9 mm

www.arslanaluminyum.com





arслан alüminyum



www.arslanaluminyum.com





arslan alüminyum

Double Bracket System

SOLAR 26



1,02 kg/m

H: 80 mm

SOLAR 27



0,76 kg/m

H: 40 mm

SOLAR 28



0,89 kg/m

H: 40 mm


www.arslanaluminum.com





arslan alüminyum


SOLAR 29



0,94 kg/m

H: 40 mm

SOLAR 30



0,92 kg/m

H: 40 mm

SOLAR 31



1,26 kg/m

H: 80 mm

www.arslanaluminyum.com





arслан alüminyum


SOLAR 32



1,00 kg/m

H: 50 mm

SOLAR 33



0,95 kg/m

H: 40 mm

SOLAR 34



1,19 kg/m

H: 80 mm

www.arslanaluminyum.com





arslan alüminyum

SOLAR 35



1,16 kg/m

H: 80 mm


SOLAR 36



0,81 gr/m

H: 40 mm

SOLAR 37



0,76 kg/m

H: 40 mm

www.arslanaluminyum.com





arслан alüminyum

SOLAR 38



1,47 kg/m

H: 83 mm

SOLAR 39



0,98 kg/m

H:30 mm

SOLAR 40



0,98 kg/m

H:40 mm


www.arslanaluminyum.com






arслан alüminyum

SOLAR 41



1,27 kg/m

 H: 60 mm

SOLAR 42



1,60 kg/m

 H: 70 mm

SOLAR 43



0,92 kg/m

 H: 40 mm

www.arslanaluminyum.com






arslan alüminyum

TILE ROOF System

SOLAR 44



10,55 kg/m

H: 190,87 mm


SOLAR 45



8,02 kg/m

H: 170 mm

SOLAR 46



8,16 kg/m

H: 170,35 mm

www.arslanaluminyum.com





arслан alüminyum



www.arslanaluminyum.com





arslan alüminyum

Blast System

SOLAR 47



2,08 kg/m

H: 37,41 mm

SOLAR 48



1,87 kg/m

H: 18,14 mm

SOLAR 49



0,89 kg/m

H: 50 mm


www.arslanaluminyum.com





arслан alüminyum

SOLAR 50



2,65 kg/m

H: 48 mm

SOLAR 51



8,04 kg/m

H: 207,76 mm

SOLAR 52



198,76 kg/m

H: 198,76 mm


www.arslanaluminyum.com





arslan alüminyum

SOLAR 53



0,69 kg/m

H: 35 mm

SOLAR 54



1,50 kg/m

H: 40 mm

www.arslanaluminyum.com





arslan alüminyum



www.arslanaluminyum.com





arслан alüminyum

Land Assembly System


SOLAR 55



2,62 kg/m

H: 115 mm

SOLAR 56



1,86 kg/m

H: 115 mm

SOLAR 57



5,56 kg/m

H: 31,3 mm


www.arslanaluminyum.com





arslan alüminyum

SOLAR 58



0,56 kg/m

H: 28 mm

SOLAR 59



0,54 kg/m

H: 33 mm

www.arslanaluminyum.com





arслан alüminyum



www.arslanaluminyum.com





arслан alüminyum

End and Middle Clamp

SOLAR 60



0,47 kg/m

H: 40 mm


SOLAR 61



0,71 kg/m

H: 30 mm

SOLAR 62



0,61 kg/m

H: 15,5 mm

www.arslanaluminyum.com





arслан alüminyum

SOLAR 63



0,58 kg/m

H: 25 mm

SOLAR 64



0,68 kg/m

H: 31,5 mm

SOLAR 65



0,68 kg/m

H: 34 mm

www.arslanaluminyum.com





arслан alüminyum

SOLAR 66



0,62 kg/m

H: 50 mm

SOLAR 67



0,46 kg/m

H: 14,8 mm

SOLAR 68



0,48 kg/m

H: 31 mm

www.arslanaluminyum.com





arslan alüminyum


SOLAR 69



0,59 kg/m

H: 45 mm


SOLAR 70



0,54 kg/m

H: 35 mm

SOLAR 71



0,48 kg/m

H: 7 mm


www.arslanaluminyum.com





arslan alüminyum

SOLAR 72



0,70 kg/m

H: 27 mm

SOLAR 73



0,60 kg/m

H: 50 mm

www.arslanaluminyum.com





arслан alüminyum



<https://www.arslanaluminyum.com/>

www.arslanaluminyum.com





arslan alüminyum



www.arslanaluminyum.com





arslan alüminyum



FACTORY I



FACTORY II



FACTORY III

www.arslanaluminyum.com





arslan alüminyum a.ş.

SUSTAINABILITY

As Arslan Aluminium, we have invested in more than 25.000 solar panels covering an area of more than 110.000 m² to continue our production process with renewable energy. Our solar panels, which we started production with the energy they provide, generate 15.269.299 kWh of energy per year, which corresponds to the energy production of 4.100 houses. Our solar panels also contribute to the protection of more than 16.350 trees by blocking 6.720 tonnes of CO₂ emissions, enabling us to produce 12.246 kWp.



arslan alüminyum a.ş.

Gazi Blv. No:5, 11000 Hürriyet 1. Osb/Bilecik
Merkez/Bilecik/TÜRKİYE

T: (0228) 216 02 21
(212) 224 21 06

E: arslan@arslanaluminyum.com

www.arslanaluminyum.com/